

BIG INDUSTRIAL VACUUM CLEANERS

BIG BRUTE
INDUSTRIAL VACUUM CLEANERS



Michael Williams
Engineering



BIG BRUTE
SUCK & PUMP



BIG BRUTE
WAREHOUSEMAN



BIG BRUTE
SUCK & DUMP



BIG BRUTE
SKIP TIP



BIG BRUTE
WET & DRY



BIG BRUTE
HEPA

 **MADE IN BRITAIN**®

BIG BRUTE - THE GENUINE INDUSTRIAL VACUUM CLEANERS THAT ARE MADE IN BRITAIN

"Why can't anyone make a big vacuum cleaner? With tremendous suction power? And massive capacity so I don't have to stop every 5 minutes to empty it? With long, wide hoses that don't block or kink? And just works every time I turn it on?"

We heard this so often that we developed the range of **Big Brute** vacuum cleaners.

Thousands of businesses around the world rely on the ruggedness of the **Big Brute** to keep their premises clean.

Today, we offer one of the largest ranges of industrial vacuum cleaners made in Britain.

Michael Williams Engineering Ltd is a family-owned and family-run business established in 1974.

We're proud to be celebrating 50 of years of serving industries.

We're based in the UK, just outside Cambridge, where all our **Big Brute** vacuum cleaners are designed, manufactured and sent throughout the UK, Europe and the world.

Whatever you need to clean up and however you want to empty it, we've got a **Big Brute** solution for you. Have a chat with your local distributor today.



Your Local Distributor:



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

Bruce D. Harrison
Retail Information Technology
Hamilton
New Zealand

CONTENTS

BIG BRUTE POPULAR.....	4
BIG BRUTE WAREHOUSEMAN.....	5
BIG BRUTE SUCK & DUMP DRY ONLY.....	6
FLAT BASE.....	7
CONE BASE.....	7
BIG BRUTE HEPA.....	8
BIG BRUTE WET & DRY.....	10
BIG BRUTE WET ONLY.....	11
BIG BRUTE SWARFMAN.....	12
BIG BRUTE SUCK & PUMP.....	13
BIG BRUTE SUCK & DUMP WET & DRY.....	14
FLAT BASE.....	15
CONE BASE.....	15
BIG BRUTE FLOODMAN.....	16
BIG BRUTE SKIP TIP.....	17
BIG BRUTE BULKMASTER.....	18
SELF-POWERED.....	19
INTERCEPTORS.....	19
BIG BRUTE SUCK & DUMP STATIC.....	20
BIG BRUTE OIL VAC.....	21
BIG BRUTE MULTI-LIFT.....	22
DRY ONLY.....	23
WET & DRY.....	23
BIG BRUTE LEAPFROG.....	24
DRY ONLY.....	25
WET & DRY.....	25
WET ONLY.....	25
BIG BRUTE INTERCEPTORS.....	26
STANDARD & FIT ALL.....	26
CYCLONE INTERCEPTORS.....	26
BOTTOM SUCTION INTERCEPTORS.....	26
WET INTERCEPTORS.....	27
MINI INTERCEPTOR BUCKETS.....	27
TIGHT-HEAD DRUM FILLER.....	27
PARTS & ACCESSORIES.....	28
BIG BRUTE TOOLS AND TOOL KITS.....	28
WAREHOUSEMAN SPARE PARTS.....	29
BIG BRUTE SUCTION HOSE.....	30
THE MOLE UNDERFLOOR CLEANING TOOL.....	31
GUTTER CLEANING KITS.....	32
FORK DIMENSIONS.....	33
ANTI-STATIC BIG BRUTES.....	34



**Michael Williams
Engineering**
Delivering quality industrial solutions

YOUR BIG BRUTE DISTRIBUTOR



**Hello! My name is
Bruce D Harrison and
I've been the Big Brute
distributor in New
Zealand now since the
early 2000's.**

In 2023, the Directors of Michael Williams Engineering, the manufacturers of the Big Brute in the UK, asked me to manage their interests in Australia, providing service and support for the 1000's of Big Brute Customers across Australia and New Zealand.

Since 1974, I've been a commercial traveller, with customer focus and service at my core. From my experiences working with agricultural and industrial customers, I've found the Big Brute performs flawlessly wherever it goes.

Big Brutes will save you money by:

- Slashing your production machine downtime
- Saving labour costs on factory cleaning
- Being easy to maintain

As I say to my customers, "Nothing beats a Big Brute".

Look forward to speaking with you.

Bruce D. Harrison
Retail Information Technology
Hamilton
New Zealand



0276 278 239



info@bigbrute.co.nz



BIG BRUTE POPULAR

DRY ONLY



ANTI-STATIC
VERSION
SEE PAGE 34

The Big Brute Popular is our original industrial vacuum cleaner. It was designed to provide the big power, big suction, and big capacity that other industrial vacuum cleaners just couldn't provide, whilst being tough enough to put up with the rough conditions in industry. The Big Brute will continue to perform where others would have given up. To this day, the Big Brute Popular remains one of our best-selling Big Brutes.

The basic model comprises:

Power	3 x 1.2 kW motors (3.6kW in total).
Usable Capacity	190 litres with V39 Standard Primary Filter fitted 150 litres with V39A Extra Large Filter fitted
Filters	Needle-Felt Primary Filter; Needle-felt Secondary Filter.
Hose	63mm diameter with steel bends and rubber couplers (5, 10 or 15m length)
Trolley	Heavy duty, 4-wheeled with 2 rubber rear wheels and 2 front castors.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Cable	10 metres with NZ-spec plug.

Basic Prices

Standard Drum: 4-wheel Standard Trolley; 230V Standard (Suck Only) Power Unit with 10m of electric cable and NZ plug; Primary and Secondary Needle-Felt filters. Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 4,371
5m hose & scraper tool	\$ 5,096
10m hose & scraper tool	\$ 5,324
15m hose & scraper tool	\$ 5,552

Options

Suck & Blow (Black) power unit	+ \$ 878
Superglide Trolley (Nylon Wheels)	+ \$ 341
Easy Empty Lift Out Spigot	+ \$ 297
Filter Shaker System <i>includes Drum with Filter Shaker and V39A Extra Large Primary Filter</i>	+ \$ 1,041

Accessories

FWC-DRY	Floor Wall and Ceiling Hand Tool Kit	\$ 772
V39A	Extra Large Primary Filter	\$ 410
FMFT-DRY-01	Front-Mounted Floor Brush	\$ 772
DWB-80	Disposable Waste Bags (Pack of 80)	\$ 172
V313	Easy Empty Lift-Out Bag	\$ 212

OPTIONS & ACCESSORIES

SUCK & BLOW
POWER UNIT

FLOOR, WALL
& CEILING
HAND TOOL KIT

FRONT
MOUNTED
FLOOR TOOL

EASY EMPTY
LIFT OUT BAG

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable. Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020). Prices valid from 1st February 2024

BIG BRUTE
INDUSTRIAL VACUUM CLEANERS



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

BIG BRUTE WAREHOUSEMAN

DRY ONLY

Get your large floors clean of all that ground-in dust, quickly and easily, without stirring up dust.

All that floor dust that your fork lifts have been grinding into a super fine powder for you presents no problem to the Warehouseman. Simply lower the 710mm wide front floor brush onto the floor, switch on and off you go. Clean at walking speed, pushing the machine along easily on its four wheels by means of the "easy-push, no-strain" handles. It's as easy and simple as that.

The basic model comprises:

Power	3 x 1.2 kW motors (3.6kW in total).
Usable Capacity	190 litres with V39 Standard Primary Filter fitted 150 litres with V39A Extra Large Filter fitted
Filters	Needle-Felt Primary Filter; Needle-felt Secondary Filter.
Hose	63mm diameter with steel bends and rubber couplers (5, 10 or 15m length)
Trolley	Heavy duty, 4-wheeled with 2 rubber rear wheels and 2 front castors.
Floor Brush	710mm wide front-mounted floor brush.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Cable	10 metres with NZ-spec plug

Basic Prices

Standard Drum: 4-wheel Standard Trolley; 230V Standard (Suck Only) Power Unit with 10m of electric cable and NZ plug; Primary and Secondary Needle-Felt filters; Front-Mounted Floor Brush with short length of connector hose. Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 5,254
5m hose & scraper tool	\$ 5,979
10m hose & scraper tool	\$ 6,207
15m hose & scraper tool	\$ 6,435

Options

Suck & Blow (Black) power unit	+ \$ 878
Superglide Trolley (Nylon Wheels)	+ \$ 341
Easy Empty Lift Out Spigot	+ \$ 297
Filter Shaker System <i>includes Drum with Filter Shaker and V39A Extra Large Primary Filter</i>	+ \$ 1,041

Accessories

FWC-DRY	Floor Wall and Ceiling Hand Tool Kit	\$ 772
V39A	Extra Large Primary Filter	\$ 410
DWB-80	Disposable Waste Bags (Pack of 80)	\$ 172
V313	Easy Empty Lift-Out Bag	\$ 212

BIG BRUTE WAREHOUSEMAN
Cleans large dusty grain store floors
FAST!

ANTI-STATIC VERSION
SEE PAGE 34

SUCK & BLOW POWER UNIT

OPTIONS & ACCESSORIES

FLOOR, WALL & CEILING HAND TOOL KIT

BIG BRUTE BULKMASTER

V39A EXTRA LARGE FILTER



Michael Williams Engineering
Delivering quality industrial solutions

BIG BRUTE SUCK & DUMP *DRY ONLY*

DRY ONLY




The Big Brute Suck & Dumps are ideal for safely emptying heavy, free-flowing, dry waste into high-sided skips or hoppers, without the need for heavy lifting.

These machines can be wheeled around site on their 4-wheeled trolleys, as with the Popular and Warehouseman on pages 4 and 5. Their trolleys have built-in forklift sockets so you can raise the whole Big Brute up and move it over to your waste skip. Open the quick-release flap on the base and your waste is discharged quickly and without mess into your skip. Ideal for recycling material into process hoppers.

We offer 2 models: the Flat Base and the Cone Base. The Flat Base is an entry-level model ideal for use where cross-contamination isn't critical as some waste product can remain within the drum. The Cone Base model, with its angled hopper base, empties completely and is ideal for processing free-flowing waste where preventing cross-contamination is more critical.

Both models use the same accessories and options as the Big Brute Popular and Warehouseman.

Three sizes of forklift tine slots are available (see page 33).



OPTIONS & ACCESSORIES

FLOOR, WALL & CEILING
HAND TOOL KIT



SUCK & BLOW
POWER UNIT



FRONT
MOUNTED
FLOOR BRUSH



BIG BRUTE
INDUSTRIAL VACUUM CLEANERS



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable.
Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020).
Prices valid from 1st February 2024

FLAT BASE

The Dry Flat Base model

Standard flat-based drum with discharge flap in base; 4-wheel Forklift Trolley; 230V Standard (Suck Only) Power Unit with 10m of electric cable and NZ plug; Primary and Secondary Needle-Felt filters; 1 metre long, 63mm diameter aluminium Scraper Tool. Where hose is included, it has Bend Ends.

Usable capacity: 190 litres with standard Primary Filter fitted (150 litres with V39A Extra Large Filter fitted).

Note: The Flat Base model will leave some waste inside the drum after emptying. If cross-contamination is an issue, consider the Cone Base model which empties completely.

No hose, no scraper tool	\$ 6,370
5m hose & scraper tool	\$ 7,095
10m hose & scraper tool	\$ 7,323
15m hose & scraper tool	\$ 7,551

Options

Suck & Blow (Black) power unit	+ \$ 878
Superglide (Nylon Wheels)	+ \$ 341
Filter Shaker System includes Drum with Filter Shaker and V39A Extra Large Primary Filter	+ \$ 1,042

Accessories

FWC-DRY Floor Wall and Ceiling Hand Tool Kit	\$ 772
V39A Extra Large Primary Filter	\$ 410
FMFT-DRY-02 Front-Mounted Floor Brush	\$ 778



ANTI-STATIC
VERSION
SEE PAGE 34

WILL MY
FORKLIFT FIT
THIS?
See page 33

CONE BASE

The Dry Cone Base model

Standard cone-based drum with discharge flap in base; 4-wheel Forklift Trolley; 230V Standard (Suck Only) Power Unit with 10m of electric cable and NZ plug; Primary and Secondary Needle-Felt filters; 1 metre long, 63mm diameter aluminium Scraper Tool. Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 8,036
5m hose & scraper tool	\$ 8,760
10m hose & scraper tool	\$ 8,988
15m hose & scraper tool	\$ 9,216

Options

Suck & Blow (Black) power unit	+ \$ 878
Filter Shaker System includes Drum with Filter Shaker and V39A Extra Large Primary Filter	+ \$ 1,042

Accessories

FWC-DRY Floor Wall and Ceiling Hand Tool Kit	\$ 772
V39A Extra Large Primary Filter	\$ 410
FMFT-DRY-02 Front-Mounted Floor Brush	\$ 778



ANTI-STATIC
VERSION
SEE PAGE 34

WILL MY
FORKLIFT FIT
THIS?
See page 33



**Michael Williams
Engineering**
Delivering quality industrial solutions

BIG BRUTE HEPA

DRY ONLY



ANTI-STATIC
VERSION
SEE PAGE 34



The HEPA (High Efficiency Particle Arrester) filter Big Brute offers all the aggressive suction power of the Big Brute with a final stage HEPA filter. The machine uses the two standard Big Brute needle-felt filters to progressively remove particles from the air passing through it.

The filtered air is then passed through a very large capacity HEPA filter which is housed in a protective container on the machine. The HEPA filtered air is then passed out to atmosphere.

Available in 2 different HEPA specifications with different levels of particulate filtering - HEPA13 and HEPA14.

Each HEPA filter is individually tested by the manufacturer and issued with its own certificate of testing, confirming the level of particulate filtering.

Specifications	HEPA13	HEPA14
Nominal Airflow	2000 m ³ /hr	2000 m ³ /hr
Filtration Class	H13 EN1822	H14 EN1822
Efficiency	99.95% MPPS	99.995% MPPS
Particulate Section	0.18 micron	0.18 micron
Initial Resistance	180 Pa	180 Pa
Final Resistance	500 Pa	500 Pa

Basic Prices

Standard Drum; 4-wheel HEPA Trolley; 230V Suck & Blow Power Unit with 10m of electric cable and NZ plug; Primary and Secondary Needle-Felt filters; HEPA Filter. Where hose is included, it has Bend Ends.

	HEPA13	HEPA14
No hose, no scraper tool	\$ 8,348	\$ 8,912
5m hose & scraper tool	\$ 9,072	\$ 9,636
10m hose & scraper tool	\$ 9,300	\$ 9,864
15m hose & scraper tool	\$ 9,528	\$ 10,092

Options

Superglide HEPA Trolley (Nylon Wheels)	• \$ 340
Easy Empty Lift Out Spigot	• \$ 297
Filter Shaker System includes Drum with Filter Shaker and V39A Extra Large Primary Filter	• \$ 1041

Accessories

V843	HEPA Gauge Kit	\$ 718
FWC-DRY	Floor Wall and Ceiling Hand Tool Kit	\$ 772
V39A	Extra Large Primary Filter	\$ 410
FMFT-DRY-01	Front-Mounted Floor Brush	\$ 778
DWB-80	Disposable Waste Bags (Pack of 80)	\$ 172

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable.
Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020).
Prices valid from 1st February 2024



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

HEPA Gauge Kit

Take the guesswork out of when to replace your HEPA cartridge

It's important to note that as the Big Brute HEPA is used, the HEPA cartridge fills up with the captured dust and particles. As it's used more and more, the suction will start to reduce. Once your HEPA cartridge is full, and you're not getting any suction, it's time to change the HEPA cartridge for a new one.

The Big Brute HEPA Gauge Kit takes the guessing out of when to replace the HEPA cartridge on your Big Brute HEPA Industrial Vacuum Cleaner.

The HEPA Gauge constantly monitors the pressure difference of the air entering and leaving your HEPA cartridge. As you use your Big Brute HEPA, the pressure difference goes up over time as your HEPA cartridge does more and more work. When it reaches 500 Pa, it's time to replace your HEPA cartridge, ensuring you and your colleagues are kept safe whilst maintaining good suction.

The HEPA Gauge Kit can be pre-fitted to the Big Brute HEPA, if ordering a new machine, or fitted to your existing Big Brute HEPA retrospectively with the easy-to-fit kit with full instructions.



The HEPA Gauge Kit gives you an indication as to when to replace your HEPA filter.

Can be fitted retrospectively to your existing Big Brute HEPA.

An important note about the Big Brute HEPA

Please note that although the Big Brute HEPA offers higher filtration, it must not be used for sucking up hazardous materials.

This includes asbestos, hard wood dust, soft wood dust, MDF, or any other material considered hazardous.

We recommend using an M-Class or H-Class rated vacuum cleaner for such uses. The Big Brutes (including the Big Brute HEPA) are NOT M-Class or H-Class vacuum cleaners.

If you have any concerns, please consult your local health and safety adviser.

BIG BRUTE WET & DRY

WET & DRY



ANTI-STATIC
VERSION
SEE PAGE 34

The Big Brute Wet and Dry combines the best of both worlds - suck up both dry waste and dust, or suck up water at the rate of one gallon per second. It can tackle the same jobs as the Big Brute Popular and Warehouseman but can easily switch to tackling wet and liquid waste. It's easy to empty and will deal with the recovery of water, mud, sludge, oils and coolants. Add a length of drainage hose to connect your drainage valve directly into drains or gullies without mess.

The basic model comprises:

Power	3 x 12kW by-pass motors
Usable Capacity	Dry Mode: 190 litres with filters fitted (150 litre usable capacity if used with the Extra Large Filter) Wet Mode: 153 litres usable capacity with Overfill Protection Float fitted
Filters	Dry Mode: 2 x Needle-Felt Primary Filters Wet Mode: Overfill Protection Float Filter
Hose	63mm diameter, polyurethane with steel bends and rubber cuffs
Trolley	Heavy duty, 4-wheeled with 2 rubber rear wheels and 2 front castors.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Cable	10 metres with NZ-spec plug.

OPTIONS & ACCESSORIES

FLOOR, WALL
& CEILING
HAND TOOL KITS

FRONT
MOUNTED
FLOOR
SQUEEGEE

FRONT
MOUNTED
FLOOR TOOLS

4"
DRAIN VALVE

Basic Prices

Standard Drum with 38mm (1.5") diameter drainage valve; 4-wheel Standard Trolley; 230V Standard (Suck Only) Wet Power Unit with 10m of electric cable and NZ plug; 2 x Primary Needle-Felt filters (for Dry use); Overfill Protection Float Filter (for Wet Use); Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 8,724
3m hose & scraper tool	\$ 9,497
5m hose & scraper tool	\$ 9,646

Options

Superglide (Nylon Wheels)	+ \$ 341
High Lift Forklift Drain Trolley	+ \$ 588
51mm (2") diameter Drain Valve	+ \$ 183
102mm (4") diameter Drain Valve	+ \$ 1,330
Easy Empty Lift Out Spigot	+ \$ 298

Accessories

FWC-WD	Wet & Dry Floor Wall and Ceiling Hand Tool Kit	\$ 966
FWC-WET	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
FMFT-DRY-01	Front-Mounted Floor Brush	\$ 778
FMFT-WET-01	Front Mounted Floor Squeegee	\$ 778
V39A	Extra Large Primary Filter	\$ 410

Outlet Hoses

V1120	1m long 51mm (2") diameter Outlet Hose and Connector	\$ 190
V1120A	3m long 51mm (2") diameter Outlet Hose and Connector	\$ 270
V1120B	5m long 51mm (2") diameter Outlet Hose and Connector	\$ 350
V1120C	10m long 51mm (2") diameter Outlet Hose and Connector	\$ 550
V1120D	30m long 51mm (2") diameter Outlet Hose and Connector	\$ 1,350
V1120E	10m long 51mm (2") diameter Extension Hose with male and female ends.	\$ 720

For joining multiple lengths of Outlet Hose together

**BIG
BRUTE**
INDUSTRIAL VACUUM CLEANERS

BIG BRUTE WET ONLY

WET ONLY

If you just want to deal with liquid and sludge waste, The Big Brute Wet Only is a straightforward machine just for this purpose. Not suitable for dry waste or dusts - it just does wet stuff.

It sucks up liquids at a rate of 1 gallon per second.

The basic model comprises:

Power	3 x 1.2kW by-pass motors
Capacity	153 litres usable capacity with Overfill Protection Float and heavy duty inlet spigot fitted
Filters	Overfill Protection Float Filter
Hose	63mm diameter, polyurethane with steel bends and rubber cuffs
Trolley	Heavy duty, 4-wheeled with 2 rubber rear wheels and 2 front castors.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Cable	10 metres with NZ-spec plug.

Basic Prices

Standard Drum with 38mm (1.5") diameter drainage valve, 4-wheel Standard trolley; 230V Standard (Suck Only) Wet Power Unit with 10m of electric cable and NZ plug; Overfill Protection Float Filter; 1 metre long, Where Hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 8,412
3m hose & scraper tool	\$ 9,185
5m hose & scraper tool	\$ 9,646

Options

Superglide (Nylon Wheels)	+ \$ 341
High Lift Forklift Drain Trolley	+ \$ 588
51mm (2") diameter Drain Valve	+ \$ 183
102mm (4") diameter Drain Valve	+ \$ 1,330
Easy Empty Lift Out Spigot	+ \$ 298
Sieve Bucket (300 mm deep) - Ø2.5mm Holes	+ \$ 1,750

Accessories

FWC-WET Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
FMFT-WET-01 Front Mounted Floor Squeegee	\$ 778

Outlet Hoses

V1120 1m long 51mm (2") diameter Outlet Hose and Connector	\$ 190
V1120A 3m long 51mm (2") diameter Outlet Hose and Connector	\$ 270
V1120B 5m long 51mm (2") diameter Outlet Hose and Connector	\$ 350
V1120C 10m long 51mm (2") diameter Outlet Hose and Connector	\$ 550
V1120D 30m long 51mm (2") diameter Outlet Hose and Connector	\$ 1,350
V1120E 10m long 51mm (2") diameter Extension Hose with male and female ends. <i>For joining multiple lengths of Outlet Hose together</i>	\$ 720



OPTIONS & ACCESSORIES



Michael Williams Engineering

Delivering quality industrial solutions

BIG BRUTE SWARFMAN

WET & DRY



ANTI-STATIC
VERSION
SEE PAGE 34

The Big Brute Swarfman has been designed specifically for engineering industries to handle heavy swarf chippings and liquids, such as oils and coolants, at the rate of approximately a gallon a second. We designed it to meet the machine cleaning needs of large machine shops.

The specially-designed rising, tangential entry system minimises the risk of heavier metal chippings settling out in the suction hose, by ensuring they are directed quickly into the drum. This reduces blockages and helps you clean up your machinery quicker.

The basic model comprises:

Usable Capacity	Dry Mode: 190 litres with standard Primary Filter fitted (150 litres with V39A Extra Large Filter fitted) Wet Mode: 153 litres with Overfill Protection Float fitted
Filters	2 x Needle-Felt Primary Filters (for Dry Use); Overfill Protection Float Filter (for Wet Use)
Hose	3m of 63mm diameter polyurethane translucent hose with steel bends and push-pull cuffs.
Trolley	Heavy duty, 4-wheeled with 2 rubber rear wheels and 2 front castors.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Cable	10 metres with NZ-spec plug.

Basic Prices

Standard Drum with 38mm (1.5") diameter drainage valve; 4-wheel Standard Trolley; 230V Standard (Suck Only) Wet Power Unit with 10m of electric cable and NZ plug; 2 x Primary Needle-Felt filters (for Dry use); Overfill Protection Float Filter (for Wet Use); Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 10,095
3m hose & scraper tool	\$ 10,868
5m hose & scraper tool	\$ 11,016

Options

Superglide Trolley (Nylon Wheels)	+ \$ 341
High Lift Forklift Drain Trolley	+ \$ 588
51mm (2") diameter Drain Valve	+ \$ 182
102mm (4") diameter Drain Valve	+ \$ 1,329

Accessories

FWC-WD	Wet & Dry Floor Wall and Ceiling Hand Tool Kit	\$ 966
FWC-WET	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
FMFT-DRY-01	Front-Mounted Floor Brush	\$ 778
FMFT-WET-01	Front Mounted Floor Squeegee	\$ 778
V39A	Extra Large Primary Filter	\$ 410

Outlet Hoses

V1120	1m long 51mm (2") diameter Outlet Hose and Connector	\$ 190
V1120A	3m long 51mm (2") diameter Outlet Hose and Connector	\$ 270
V1120B	5m long 51mm (2") diameter Outlet Hose and Connector	\$ 350
V1120C	10m long 51mm (2") diameter Outlet Hose and Connector	\$ 550
V1120D	30m long 51mm (2") diameter Outlet Hose and Connector	\$ 1,350
V1120E	10m long 51mm (2") diameter Extension Hose with male and female ends. <i>For joining multiple lengths of Outlet Hose together</i>	\$ 720

OPTIONS & ACCESSORIES

FLOOR, WALL
& CEILING
HAND TOOL KITS

FRONT
MOUNTED
FLOOR
SQUEEGEE

FRONT
MOUNTED
FLOOR TOOLS

4"
DRAIN VALVE

BIG BRUTE
INDUSTRIAL VACUUM CLEANERS



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable.
Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020).
Prices valid from 1st February 2024

BIG BRUTE SUCK & PUMP

WET ONLY

The Big Brute Suck & Pump is ideal for the recovery and handling of liquids which may include solids, such as coolants or cutting fluid. It can suck up liquids at approximately 1 gallon per second.

Empty it either through the drain valve at the base of the drum, or by pumping out at a controllable rate using its internal pump. The internal pump has a variable discharge rate from 0 to 35 litres per minute, making it ideal for precision decanting into your own containers. Runs from a single 13A, 230V power socket.

The basic model comprises:

Usable Capacity	153 litres with Overfill Protection Float fitted
Hoses	3m of 63mm diameter polyurethane see-through hose with steel bends and push-pull cuffs. 10m length of quick-release discharge hose with 25mm-diameter connector.
Trolley	Four wheeled SuperGlide with nylon wheels and brake.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Pump	Externally mounted discharge pump. 0.25kW pump motor.
Cable	10 metres with NZ-spec plug

Basic Prices

Standard Drum with tangential inlet and 38mm diameter manual drain valve with cam connector; 4-wheel SuperGlide Trolley; 230V Power Unit with 10m of electric cable with NZ-spec plug; Overfill Protection Float Filter; Sieve Basket Filter; Integral Pump. Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 16,956
3m hose & scraper tool	\$ 17,729
5m hose & scraper tool	\$ 17,878
10m hose & scraper tool	\$ 18,250

Options


High Lift Forklift Drain Trolley	+ \$ 588
----------------------------------	----------

Accessories

FWC-WET Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
FMFT-WET-01 Front Mounted Floor Squeegee	\$ 778



Outlet Pump Performance Chart



Standard Machine Dimensions & Weight

Length	1000mm
Width	600 mm
Height	1350 mm
Empty Weight	104Kg
Liquid Capacity	180 litres (approx)

Sieve has holes of 3.2mm diameter
25mm Discharge hose is 10m long



Michael Williams Engineering
Delivering quality industrial solutions

BIG BRUTE SUCK & DUMP *WET & DRY*

WET & DRY

These machines perform all of the functions of the Wet & Dry models, whilst retaining their awesome power.

There are two basic models available; the Flat Base version and the Cone Base Version, both discharge via Ø200mm dump valves.

The 60° cone hopper is intended to assist total discharge of free flowing material, where as the flat based version may not allow for complete discharge of certain materials.

The basic model comprises:

Power	3 x 1.2kW by-pass motors (3.6kW in total)
Filters	Wet & Dry
Hose	63mm diameter polyurethane with steel bends and rubber cuffs
Trolley	Heavy duty 4-wheeled
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Cable	10 metres long with NZ plug.



OPTIONS & ACCESSORIES



FLOOR, WALL & CEILING HAND TOOL KIT

FRONT MOUNTED FLOOR SQUEEGEE

FRONT MOUNTED FLOOR TOOL



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable. Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020). Prices valid from 1st February 2024

FLAT BASE

Basic Prices

Flat-base Drum with 200mm valve in the base; 4-wheel fork lift trolley; 230V Power Unit with 10m of electric cable with NZ-spec plug; Primary and Secondary Needle-Felt filters; Overfill Protection Float Filter; 1 metre long, 63mm diameter aluminium scraper. Where Hose is included, it has Bend Ends

Usable capacity:

Dry Mode: 190 litres with standard Primary Filter fitted (150 litres with V39A Extra Large Filter fitted).

Wet Mode: 153 litres with Overfill Protection Float Filter fitted.

No hose, no scraper tool	\$ 11,876
3m hose & scraper tool	\$ 12,648
5m hose & scraper tool	\$ 12,797
10m hose & scraper tool	\$ 13,169

Options

Superglide (Nylon Wheels)	+ \$ 340
---------------------------	----------

Accessories

FWC-WD	Wet & Dry Floor Wall and Ceiling Hand Tool Kit	\$ 966
FWC-WET	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
FMFT-DRY-01	Front-Mounted Floor Brush	\$ 778
FMFT-WET-01	Front Mounted Floor Squeegee	\$ 778
V39A	Extra Large Primary Filter	\$ 410

Outlet Hoses

V1120	1m long 51mm (2") diameter Outlet Hose and Connector	\$ 190
V1120A	3m long 51mm (2") diameter Outlet Hose and Connector	\$ 270
V1120B	5m long 51mm (2") diameter Outlet Hose and Connector	\$ 350
V1120C	10m long 51mm (2") diameter Outlet Hose and Connector	\$ 550
V1120D	30m long 51mm (2") diameter Outlet Hose and Connector	\$ 1,350
V1120E	10m long 51mm (2") diameter Extension Hose with male and female ends. <i>For joining multiple lengths of Outlet Hose together</i>	\$ 720

CONE BASE

Basic Prices

Cone-base Drum with 200mm valve in the base; 4-wheel fork lift trolley; 230V Power Unit with 10m of electric cable with NZ-spec plug; Primary and Secondary Needle-Felt filters; Overfill Protection Float Filter; 1 metre long, 63mm diameter aluminium scraper. Where Hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 13,668
3m hose & scraper tool	\$ 14,441
5m hose & scraper tool	\$ 14,590
10m hose & scraper tool	\$ 14,962

Accessories

FWC-WD	Wet & Dry Floor Wall and Ceiling Hand Tool Kit	\$ 966
FWC-WET	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
FMFT-DRY-03	Front-Mounted Floor Brush	\$ 884
FMFT-WET-03	Front Mounted Floor Squeegee	\$ 884
V39A	Extra Large Primary Filter	\$ 410



WILL MY FORKLIFT FIT THIS?
See page 33

ANTI-STATIC VERSION
SEE PAGE 34



ANTI-STATIC VERSION
SEE PAGE 34



WILL MY FORKLIFT FIT THIS?
See page 33

BIG BRUTE FLOODMAN

WET ONLY



The Big Brute Floodman is a powerful machine that will suck up liquids and automatically pump itself out at the simultaneously, without needing to stop sucking. It sucks up water at a rate of a gallon a second. It's ideal for the recovery of water from floods. Vastly speeds up flood clean-up operation

As well as water, it'll also handle free-flowing sludge. It'll will also cope with stones and other solids up to 10mm diameter. An internal sieve with holes of 6.4mm diameter retains the larger solids.

The pump can empty the Big Brute Floodman faster than it can suck up for rapid, continuous operation.

The basic model comprises:

Power	Twin power cables each 10m long, each with NZ-spec plug. Suction powered by 3 x 1.2kW by-pass motors. Pump powered by 1.5kW motor.
Usable Capacity	153 litres with Overfill Protection Float fitted
Pump	Externally mounted discharge pump. Fully automatic pump operation. Pump On/Off selector.
Hose	None included, but can be 3.5 or 10m of 63mm-diameter suction hose.
Trolley	Tough welded, powder coated, four rubber wheeled, braked.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool

Basic Prices

Drum with tangential inlet and 38mm-diameter discharge valve; 4-wheeled trolley with Nylon wheels and dual brakes; Sieve Basket; Overfill Protection Float Filter; Integral pump; 10m length of 25mm diameter discharge hose with cam connectors; 230V Power Unit with 10m of electric cable with NZ-spec plug.

Drum is fitted with cam connector spigot. Where hose is included, it has Bend Ends with cam connectors.

No hose, no Scraper Tool	\$ 20,556
3m Polyurethane hose with Scraper Tool	\$ 22,176
5m Polyurethane hose with Scraper Tool	\$ 22,325
7.5m Polyurethane hose with Scraper Tool	\$ 22,511
10m Polyurethane hose with Scraper Tool	\$ 22,697
15m Polyurethane hose with Scraper Tool	\$ 23,069
20m Polyurethane hose with Scraper Tool	\$ 23,434

Accessories

FWC-W-C	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit with Cam Connector	\$ 795
---------	--	--------



BIG BRUTE
INDUSTRIAL VACUUM CLEANERS



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable. Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020). Prices valid from 1st February 2024

BIG BRUTE SKIP TIP

DRY, WET & DRY OR WET ONLY

No more heavy lifting! The Big Brute Skip Tip makes it safe and easy to tip waste out into skips or high-sided vessels with your forklift. Ideal for waste that's clumpy or not free-flowing.

Use your forklift to move and raise your Big Brute Skip Tip over your skip. The hydraulic hand pump safely rotates the drum over with precision to tip the contents directly into your skip.

Available in Dry Only, Wet & Dry and Wet Only versions.

The Wet & Dry and Wet Only models also have a 38mm drain valve (upgradable to 51mm) to quickly empty liquids, leaving sludge and solids behind in the drum to empty with your forklift.

The Big Brute Skip Tips are compatible with all Big Brute tools and accessories.

The basic model comprises:

Power	10m long power cable. Suction powered by 3 x 1.2kW motors (3 x 1.2kW bypass motors for Wet & Dry and Wet Only models).
Usable Capacity	Dry Only: 190 litres
	Wet & Dry: 153 litres usable capacity with Overfill Protection Float fitted
	Wet Only: 153 litres usable capacity with Overfill Protection Float fitted
Hose	None included. Add 5m, 10m or 15m length, 63mm-diameter suction hose with Scraper Tool to Dry Only versions. Add 3m, 5m or 10m length, 63mm diameter polyurethane hose to Wet & Dry or Wet Only versions.
Basic Tools	1 metre long, 63mm diameter aluminium Scraper Tool
Trolley	Powder coated, four-wheeled, braked trolley with manual hydraulic tipping system

Basic Prices

Skip Tip Dry Only

Standard drum; 4-wheel Forklift Trolley with manual hydraulic tipping mechanism; 230V Standard (Suck Only) Power Unit with 10m of electric cable and NZ plug; Primary and Secondary Needle-Felt filters; 1 metre long, 63mm diameter aluminium Scraper Tool. Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 9,296
5m hose & scraper tool	\$ 10,020
10m hose & scraper tool	\$ 10,248
15m hose & scraper tool	\$ 10,476

Skip Tip Wet & Dry

Standard drum with 38mm drainage valve; 4-wheel Forklift Trolley with manual hydraulic tipping mechanism; 230V Standard (Suck Only) Power Unit with 10m of electric cable and NZ plug; 2 x Primary Needle-Felt filters; Overfill Protection Float Filter; 1 metre long, 63mm diameter aluminium Scraper Tool. Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 13,649
3m hose & scraper tool	\$ 14,422
5m hose & scraper tool	\$ 14,571
10m hose & scraper tool	\$ 14,943

Options

51mm (2 inch) diameter drainage valve	+ \$ 183
---------------------------------------	----------



Skip Tip Wet Only

Standard drum with 38mm drainage valve; 4-wheel Forklift Trolley with manual hydraulic tipping mechanism; 230V Standard (Suck Only) Power Unit with 10m of electric cable and NZ plug; Overfill Protection Float Filter; 1 metre long, 63mm diameter aluminium Scraper Tool. Where hose is included, it has Bend Ends.

No hose, no scraper tool	\$ 13,337
3m hose & scraper tool	\$ 14,110
5m hose & scraper tool	\$ 14,259
10m hose & scraper tool	\$ 14,631

Options

51mm (2 inch) diameter drainage valve	+ \$ 183
---------------------------------------	----------

Accessories

FWC-DRY	Dry Floor Wall and Ceiling Hand Tool Kit (for Dry Skip Tip models)	\$ 772
FWC-WD	Wet & Dry Floor Wall and Ceiling Hand Tool Kit (for Wet & Dry Skip Tip Models)	\$ 966
FWC-WET	Wet Floor Wall and Ceiling Hand Tool Kit (for Wet & Dry or Wet Only Skip Tip Models)	\$ 802



Michael Williams Engineering
Delivering quality industrial solutions

BIG BRUTE BULKMASTER

The Big Brute Bulkmaster lets you suck up vast amounts of dry, free-flowing material and collect, transport, safely empty or even store it for later use. Lift and move with your forklift for easy emptying. Three models of Big Brute Bulkmaster are available. Each of the models come as standard with:

- Solid steel construction for the toughest of environments
- Large capacity hopper (1.3m³ or 0.65m³) with cone-shaped hopper base ensure quick and complete emptying, without mess.
- Easy-empty discharge flap mounted in base
- Forklift Tine slots with locking pins to for safe lifting to empty and for transportation
- Removable access cover
- Static earthing straps



Bulkmaster 1000 Interceptor with Cyclone

Bulkmaster Cyclone Option

The Big Brute Bulkmaster Cyclone is perfect for sucking up free-flowing materials with a high dust content.

Connect up to your own Big Brute vacuum cleaner to the Bulkmaster Interceptor and place the Cyclone on top.

The Cyclone uses cyclonic separation to increase the amount of fine dust dropped into the Bulkmaster. This reduces the amount of dust carried over to the Big Brute, letting you work for longer before having to shake its filters clean.

Suitable for both the Bulkmaster 500 Interceptor and Bulkmaster 1000 Interceptor.



Bulkmaster 1000 Interceptor

The Bulkmaster Interceptors

The Big Brute Bulkmaster Interceptors handle free-flowing materials with a low dust content.

Connect up to your own Big Brute vacuum cleaner and use the Bulkmaster as a big-capacity interceptor.

All the filtration is performed by the filters inside the Big Brute. With no filters taking up space inside the Bulkmaster itself, you can fill it to its full capacity.

The Bulkmaster Interceptors are available in 2 different sizes: Bulkmaster 500 (0.65m³ capacity) and the Bulkmaster 1000 (1.3m³ capacity).

For materials that produce a lot of fine dust, add on the optional Big Brute Bulkmaster Cyclone for even greater filtering.

OPTIONS & ACCESSORIES



FLOOR, WALL & CEILING HAND TOOL KIT

BIG BRUTE VACUUM CLEANER

RANGE OF HOSES AVAILABLE

CONSTANT FLOW NOZZLE



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable. Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020). Prices valid from 1st February 2024

SELF-POWERED

Self-Powered Bulkmasters

The Self-Powered Bulkmasters contain their own 230V dry only Big Brute Power Unit. There's no need for a separate Big Brute to provide the suction. The power unit is fitted with a detachable mains cable for ease of emptying and low-level switch for ease of operation.

A filter shaker is fitted to allow the extra large filter inside to be shaken clean without having to remove the power unit.

The Bulkmaster Self-Powered are available in 2 different sizes: Bulkmaster 500 (0.65m³ capacity) and the Bulkmaster 1000 (1.3m³ capacity).

Note: The Bulkmaster Self-Powered Big Brutes are not supplied with hoses or tools. See page 32 for dry suction hose lengths. Make sure you've got a suction hose to connect your Bulkmaster to your suction tools.

Bulkmaster Self-Powered

The following models are supplied with no hose and no tool. See page 30 for hose options.

NZ-V1178	Bulkmaster 500 Self Powered 230v	\$ 12,382
NZ-V1080	Bulkmaster 1000 Self Powered 230v	\$ 15,168



Bulkmaster
500
Self-
Powered

INTERCEPTORS

Bulkmaster Interceptors

These Big Brute Bulkmasters combine all the cleaning power of the Big Brute Industrial Vacuum Cleaners with the benefits of using an interceptor.

Their cone-shaped bottom discharge hoppers ensure complete emptying, quickly and without mess.

Note: The Bulkmaster Interceptors are not supplied with hoses or tools. See page 32 for dry suction hose lengths. Make sure you've got a link hose to connect your Big Brute to the Bulkmaster and a suction hose to connect your Bulkmaster to your suction tools.

Bulkmaster 500

The following models are supplied with no hose and no tool. See page 30 for hose options.

NZ-V1170	Bulkmaster 500 Standard Interceptor	\$ 7,373
NZ-V1370	Bulkmaster 500 Cyclone Interceptor	\$ 9,591

Bulkmaster 1000

The following models are supplied with no hose and no tool. See page 30 for hose options.

NZ-V1012	Bulkmaster 1000 Standard Interceptor	\$ 10,160
NZ-V1064	Bulkmaster 1000 Cyclone Interceptor	\$ 12,337



Bulkmaster
1000
Self-
Powered

WILL MY
FORKLIFT FIT
THIS?
See page 33



**Michael Williams
Engineering**

Delivering quality industrial solutions

BIG BRUTE SUCK & DUMP STATIC

The Big Brute Suck & Dump Static is ideal for bulk recovery and decanting of dry, free-flowing materials where you don't have forklift access.

Power it using your own Big Brute vacuum cleaner to clean up or recover materials into the drum.

The hopper in the base then quickly empties your waste directly into FIBCs or a skip below.

The Big Brute Suck & Dump Static can be tailored with many different options to suit your exact needs.

Note: The Big Brute Suck & Dump Static is not supplied with a Big Brute. It's also not supplied with hoses or tools. See page 30 for dry suction hose lengths. Make sure you've got a link hose to connect your Big Brute to the Suck & Dump Static and a suction hose to connect your Suck & Dump Static to your suction tools.

Build your Suck & Dump Static

Choose an Interceptor option, Drum option, an optional Hopper, and a Stand option.

Interceptors (Select one of the following)

SI	Standard Interceptor No additional filtration	\$ 930
CI	Cyclone Interceptor Cyclonic filtration filters out more fine dust into the Drum	\$ 1,710

Drum (Select one of the following)

I	Flat Base with discharge flap and manual catch	\$ 2,176
J	Cone Base with cone-shaped base, discharge flap, manual catch and cone-support legs	\$ 3,598
K	Cone Base Air-Operated with cone-shaped base, air-operated flap and cone-support legs	\$ 4,422

Hopper (Optional)

L	Entraining Hopper to direct material from the base of the Drum. Fitted with bottom slide to control material flow, dust vent and bag-holding lip.	\$ 1,421
---	---	----------

Stand (Select one of the following)

M	Basic Stand - No floor. All welded construction. Paint finish. Approximate size: 1.45 x 1.45 x 2m	\$ 3,143
N	Full Stand with ladder, floor and hand rails. All welded construction. Paint finish. Approximate size: 2 x 1.5 x 3m	\$ 16,535
M-W	Basic Stand, as per option M above, but fitted with wheels (as per picture)	\$ 4,031

Optional Extras

	Hooks and chains to support your FIBC (set of 4)	\$ 538
--	--	--------



FIBC
(Flexible intermediate bulk container)
Size approx 900mm x 900mm x 900mm with filling and discharge chutes.

BIG BRUTE OIL VAC

The Big Brute SOS-250 Oil Vac is ideal for recovering and cleaning oil and cutting fluids for re-use or recycling. Suck up your fluids for recovery and then pump out the filtered fluids into your own containers with the built-in pump.

Suck up your oils and coolants, complete with swarf and sediments. Your recovered liquids are passed through 3 sets of filtration:

- Steel filter with holes of 6.4mm diameter removes the larger solids, such as swarf
- Mono-filament nylon filter removes finer particles. Three different grades of are supplied so you can choose the one that gives the best filtration for your needs at any time.
- Steel Big Brute overfill protection filter as fitted to all the Big Brute Wet & Dry/Wet machines which prevents the Big Brute Oil Vac over-filling.

You can empty the Big Brute Oil Vac either by its drainage valve in the base, or by actively pumping out to let you decant your liquids into your own vessels, quickly, easily and without mess.

Standard Machine Dimensions & Weight

Length	2000 mm
Width	700 mm
Height	1450 mm
Empty Weight (with suction hose, tools & discharge hose)	260 Kg
Liquid Capacity	368 litres

SOS-250 Oil Vac

230v Model	\$ 21,377
------------	-----------

Unit is supplied with 3m long suction hose and 1.1m long aluminium scraper tool - Both with Cam Connectors



**Michael Williams
Engineering**

Delivering quality industrial solutions

BIG BRUTE MULTI-LIFT

From Big Brute to Skip in One Trip

The Big Brute Multi-Lift is the ultra heavy-duty Big Brute. It's designed for heavy industrial applications, such as swarf and grit.

The machine is available in two basic models to suit your application. They are all built on a heavy-duty trolley for ease of movement with an option to make it transportable by forklift. The Multi-Lift drum is made from 3mm steel and has a 330mm x 330mm flap in the base to enable easy emptying.

The Optional Drum Lifting Saddles allow you to lift up just the drum from the machine for emptying and enable solid/liquid separation on Wet & Dry machines.

The optional Overhead Crane Lifting Attachment fitted inside the drum can be used to transport the drum only for emptying using an overhead crane. Ideal for working in areas that do not have forklift access. The unit is supplied with a test certificate with a safe working load of 500 kg.

Note: The Big Brute Multi-Lift are supplied without suction hoses and tools. We recommend using polyurethane hoses (see Page 32).

Use the Wet & Dry Power model for damp solids such as oily swarf. Liquid will drip from the base flap into the chamber on the trolley which can be emptied via the drain valve.



WILL MY FORKLIFT FIT THIS?
See page 33

Easy Transportation

The Multi-Lift can be moved by overhead crane or forklift.



Crane Lift Attachment

Allows you to lift and empty just the drum for areas without forklift access.



Forklift Trolley

Allows you to lift the entire machine with your forklift for easy emptying



Easy Emptying

The Multi-Lift Forklift Trolley will enable the whole machine to be lifted for emptying.



Drum Lifting Saddle

Allows you to lift just the drum, leaving the trolley behind.



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable. Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020). Prices valid from 1st February 2024

DRY ONLY

The Dry Only Model

230V dry machine on heavy-duty trolley with 200 mm wheels, Primary and Secondary Needle Felt Filters, 10m cable and NZ-spec electrical plug.

Trolley and lifting items as below.

Drum is fitted with sloping sides to enable complete emptying.

Note: Prices below do not include hose or tools. See page 3 for the dry hose options.

Trolley	Crane Lift	Drum & Saddle	Price
Plain Trolley	Not Fitted	Small Saddle Fitted to Drum	\$ 10,983
Plain Trolley	Not Fitted	Large Saddle Fitted to Drum	\$ 10,983
Plain Trolley	Crane Lift Fitted	Drum Without Saddle Fitted	\$ 10,796
Plain Trolley	Crane Lift Fitted	Small Saddle Fitted to Drum	\$ 11,804
Plain Trolley	Crane Lift Fitted	Large Saddle Fitted to Drum	\$ 11,804
Forklift Trolley	Not Fitted	Drum Without Saddle Fitted	\$ 10,851
Forklift Trolley	Not Fitted	Small Saddle Fitted to Drum	\$ 11,859
Forklift Trolley	Not Fitted	Large Saddle Fitted to Drum	\$ 11,859
Forklift Trolley	Crane Lift Fitted	Drum Without Saddle Fitted	\$ 11,672
Forklift Trolley	Crane Lift Fitted	Small Saddle Fitted to Drum	\$ 12,680
Forklift Trolley	Crane Lift Fitted	Large Saddle Fitted to Drum	\$ 12,680

WET & DRY

The Wet & Dry Model

230V wet and dry machine with lift-out bucket, heavy-duty trolley with 200mm wheels, 2 x Primary Needle Felt Filter, Overfill Protection Float Filter, 10m cable and NZ-spec plug, 38mm drain valve, 150 litre capacity.

Drum is fitted with sloping sides to enable complete emptying.

Trolley and lifting items as below.

Note: Prices below do not include hose or tools. See page 3 for the polyurethane wet hose options.

Trolley	Crane Lift	Drum & Saddle	Price
Plain Trolley	Not Fitted	Small Saddle Fitted to Drum	\$ 16,352
Plain Trolley	Not Fitted	Large Saddle Fitted to Drum	\$ 16,352
Plain Trolley	Crane Lift Fitted	Drum Without Saddle Fitted	\$ 16,164
Plain Trolley	Crane Lift Fitted	Small Saddle Fitted to Drum	\$ 17,172
Plain Trolley	Crane Lift Fitted	Large Saddle Fitted to Drum	\$ 17,172
Forklift Trolley	Not Fitted	Small Saddle Fitted to Drum	\$ 17,228
Forklift Trolley	Not Fitted	Large Saddle Fitted to Drum	\$ 17,228
Forklift Trolley	Crane Lift Fitted	Drum Without Saddle Fitted	\$ 17,040
Forklift Trolley	Crane Lift Fitted	Small Saddle Fitted to Drum	\$ 18,048
Forklift Trolley	Crane Lift Fitted	Large Saddle Fitted to Drum	\$ 18,048



ANTI-STATIC
VERSION
SEE PAGE 34

Options

Suck & Blow (Black) power unit	+ \$ 878
Filter Shaker System Includes Filter Shaker Drum Option and V39A Extra Large Filter.	+ \$ 929

Accessories

FWC-DRY	Floor Wall and Ceiling Hand Tool Kit	\$ 772
V39A	Extra Large Filter	\$ 410



Options

2" Drain Valve	+ \$ 182
----------------	----------

Accessories

FWC-WD	Wet & Dry Floor Wall and Ceiling Hand Tool Kit	\$ 966
FWC-WET	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
V39A	Extra Large Filter	\$ 410

Outlet Hoses

V1120	1m long 51mm (2") diameter Outlet Hose and Connector	\$ 190
V1120A	3m long 51mm (2") diameter Outlet Hose and Connector	\$ 270
V1120B	5m long 51mm (2") diameter Outlet Hose and Connector	\$ 350
V1120C	10m long 51mm (2") diameter Outlet Hose and Connector	\$ 550
V1120D	30m long 51mm (2") diameter Outlet Hose and Connector	\$ 1,350



**Michael Williams
Engineering**

Delivering quality industrial solutions

BIG BRUTE LEAPFROG

FILL YOUR OWN DRUMS

Use all the best features of the Big Brutes - massive power, excellent filtration and large-bore suction pipe - in a single, compact unit to fill your own drums.

Ideal for any application, especially those where you want to recover materials that can't be mixed with others. Use to recover materials for recycling, storage, or for reintroduction back into your manufacturing process.

The Big Brute Leapfrog consists of two main parts:

- Big Brute Power Unit and Leapfrog Lid
- Filters

Since the filters are stored within the Leapfrog itself, you can fill your drums almost to the brim, depending on the material. Just lift the Leapfrog onto your next empty drum and carry on cleaning.

Fits drums of diameter between 520mm to 630mm. Available in Dry Only, Wet & Dry and Wet Only versions.

Choose your hose length and optional cleaning tool kits from the list of standard Big Brute tools and accessories.

The basic models comprise:

	Dry Only	Wet & Dry	Wet Only
Power	3 x 1.2kW motors	3 x 1.2kW motors	3 x 1.2kW motors
Filters	Primary and Secondary Needle Felt Filters	2 x Primary Needle Felt Filters plus Overfill Protection Float Filter	Overfill Protection Float Filter
Hose	63mm-diameter dry suction hose; 5, 10 or 15m lengths	63mm-diameter polyurethane hose; 3m length	63mm-diameter polyurethane hose; 3m length
Cable	10 metres long with NZ-spec plug	10 metres long with NZ-spec plug	10 metres long with NZ-spec plug
Tool Supplied (if bought with hose)	1 metre, 63mm-diameter aluminium scraper tool	1 metre, 63mm-diameter aluminium scraper tool	1 metre, 63mm-diameter aluminium scraper tool



DRUM SHOWN FOR ILLUSTRATIVE PURPOSES ONLY

DRY ONLY LEAPFROG

WET & DRY LEAPFROG

WET & DRY MODEL



0276 278 239



info@bigbrute.co.nz



bigbrute.co.nz

PLEASE NOTE

All prices exclude delivery, GST, import fees, and duty, if applicable. Goods are dispatched directly from the UK on an FCA basis (Incoterms 2020). Prices valid from 1st February 2024

DRY ONLY

Basic Prices

230V Power Unit with 10m of electric cable with NZ-spec plug; Drum Adapter; Primary Needle Felt Filter; Secondary Needle-Felt Filter; 1 metre long, 63mm-diameter aluminium scraper. Where Hose is included, it has Bend Ends

Note: Price does not include storage drums - must be supplied yourself.

No hose, no scraper tool	\$ 4,371
5m hose & scraper tool	\$ 5,096
10m hose & scraper tool	\$ 5,324
15m hose & scraper tool	\$ 5,552

Accessories

FWC-DRY	Dry Floor Wall and Ceiling Hand Tool Kit	\$ 772
---------	--	--------

ANTI-STATIC
VERSION
SEE PAGE 34

WET & DRY

Basic Prices

230V Power Unit with 10m of electric cable with NZ-spec plug; Drum Adapter; 2 x Primary Needle Felt Filters; Overfill Protection Float Filter; 1 metre long, 63mm-diameter aluminium scraper. Where Hose is included, it has Bend Ends

Note: Price does not include storage drums - must be supplied yourself.

No hose, no scraper tool	\$ 8,724
3m hose & scraper tool	\$ 9,497

Accessories

FWC-WD	Wet & Dry Floor Wall and Ceiling Hand Tool Kit	\$ 966
FWC-WET	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802

ANTI-STATIC
VERSION
SEE PAGE 34

WET ONLY

Basic Prices

230V Power Unit with 10m of electric cable with NZ-spec plug; Drum Adapter; Overfill Protection Float Filter; 1 metre long, 63mm-diameter aluminium scraper. Where Hose is included, it has Bend Ends

Note: Price does not include storage drums - must be supplied yourself.

No hose, no scraper tool	\$ 8,412
3m hose & scraper tool	\$ 9,185

Accessories

FWC-WET	Wet Only Dry Floor Wall and Ceiling Hand Tool Kit	\$ 802
---------	---	--------



BIG BRUTE INTERCEPTORS

The ideal solution for those who want to fill their own drums but still need a fully stand-alone Big Brute for general cleaning.

Fill your own drums by using the power of your existing Big Brute. Place the Interceptor Lid on to an open-topped drum and fill it directly ready for storage or disposal. Once your drum is full, move the Interceptor Lid on to your next drum and repeat.

STANDARD & FIT ALL

The Big Brute Standard Interceptor are built using our standard Big Brute drum lid and will fit standard Big Brute drums. We can't say for certain that these Interceptors will fit other brands of open-topped drum not supplied by us.

However, have a look at the Big Brute Fit-All Interceptor which will fit most drums with outside diameter between 320 to 680mm.

V372	Standard Interceptor Lid (fits Big Brute Open Head Drum)	\$ 888
V373	Fit All Interceptor Lid (fits any drum)	\$ 1,296
V373D	Fit All Interceptor Lid Twin Outlets (fits any drum)	\$ 1,580

CYCLONE INTERCEPTORS

Ideal for sucking up materials that produce very fine dust. More dust is separated out by the Cyclone Filter, dropping it into the drum below. This means less of the dust is carried over to the filters of your Big Brute. The Cyclone Interceptors are available in a standard version that fits our standard Big Brute drums, or a Fit All version that will fit most drums with outside diameter between 320 to 680mm.


V870	Standard Cyclone Interceptor (fits Big Brute Open Head Drum)	\$ 1,776
V871	Cyclone Interceptor (Fit All)	\$ 2,333



CYCLONE INTERCEPTOR



OPEN TOP
205 litre option



BOTTOM SUCTION INTERCEPTORS

The Bottom Suction Interceptors are a drum/Interceptor lid combination ideal for collecting large quantities of very light material, such as bead cavity wall insulation.

Line the innovative drum with a heavy-duty, disposable waste bag. The drum uses your existing Big Brute's suction to suck bag to the drum walls during operation. This keeps it fully open as the light waste pours in.

Choose a Bottom Suction Interceptor Drum with either 200 litre or 400 litre capacity. Add either a Standard Interceptor or a Cyclone Interceptor lid. Then add an optional drum dolly to wheel your drum around easily. Plastic disposable bags are available in packs of 80.

200 litre Bottom Suction Interceptors

BSV-200	Bottom Suction Interceptor Drum	\$ 1,594
V372	Standard Interceptor Lid for Bottom Suction Interceptor Drum	\$ 888
V870	Cyclone Interceptor Lid for Bottom Suction Interceptor Drum	\$ 1,776
BSV-200-DOLLY	Drum Dolly for Bottom Suction Interceptor Drum	\$ 514
DWB-80	Disposable Plastic Waste Bags (Pack of 80)	\$ 212

400 litre Bottom Suction Interceptors

BSV-400	Bottom Suction Interceptor Drum	\$ 1,983
V373A	Standard Interceptor Lid for Bottom Suction Interceptor Drum	\$ 1,644
V871B	Cyclone Interceptor Lid for Bottom Suction Interceptor Drum	\$ 2,492
BSV-400-DOLLY	Drum Dolly for Bottom Suction Interceptor Drum	\$ 533
DWB-XL-80	Disposable Plastic Waste Bags (Pack of 80)	\$ 384



BOTTOM SUCTION INTERCEPTOR WITH CYCLONE

WET INTERCEPTORS

For sucking up liquid waste into your own drums, the Wet Big Brute Interceptors make this possible.

Based on the Fit-All design, the Wet Interceptors fit most drums with an internal diameter of between 480-690mm. They contain an Overfill Protection Float Filter, to prevent liquids overflowing the drum, and an additional particulate filter to ensure no silt or debris carries over to your Big Brute.

Available in single or twin suction outlet ports to connect up either 1 or 2 Big Brutes.

V1066	Wet Interceptor Lid - Fit All - Single Outlet	\$ 3,154
V1066C	Wet Interceptor Lid - Fit All - Twin Outlet	\$ 3,454



WET INTERCEPTOR

MINI INTERCEPTOR BUCKETS

If you've got limited head-space, without the room for a full-height drum, or want to suck up heavy stuff in quantities you can still easily handle, the Big Brute Mini Interceptor Buckets are ideal.

These reduced-height drums are mounted on heavy-duty castors to make moving loads around easy.

Choose a drum size of either diameter 400mm (height 400mm) or 500mm (height 600mm). Add a Fit-All Interceptor or Cyclone Fit-All Interceptor.

400mm diameter

S1-K72609-A	Mini Interceptor Bucket 400mm diameter	\$ 1,851
V373B	Standard Mini Bucket Interceptor Lid	\$ 1,215
V871C	Cyclone Mini Bucket Interceptor Lid	\$ 2,158

500mm diameter

S1-K53829-A	Mini Interceptor Bucket 400mm diameter	\$ 1,901
	Standard Mini Bucket Interceptor Lid	Call Us
	Cyclone Mini Bucket Interceptor Lid	Call Us



MINI INTERCEPTOR BUCKETS

TIGHT-HEAD DRUM FILLER

Use your Big Brute to fill your tight-head drums. This steel device screws directly into the top of your tight-head drum.

You'll need your existing Big Brute with its own length of 63mm-diameter suction hose. This pushes onto the larger port of the Tight-Head Drum Filler.

You'll also need a length of 38mm-diameter suction hose to push onto the smaller port of the Tight-Head Drum Filler. Use this hose to clean up your material and suck it into your drum. Choose from 5m, 10 or 15m lengths.

V609	Tight-Head Drum Filler	\$ 843
-------------	------------------------	---------------

Tight Head Drum Filler Hoses

38mm-diameter Black Flexible Suction Hose (with cuffs) 5m length	\$ 185
38mm-diameter Black Flexible Suction Hose (with cuffs) 10m length	\$ 317
38mm-diameter Black Flexible Suction Hose (with cuffs) 15m length	\$ 449



TIGHT-HEAD DRUM FILLER



Michael Williams Engineering
Delivering quality industrial solutions


PARTS & ACCESSORIES

BIG BRUTE TOOLS AND TOOL KITS

The Big Brute Floor, Wall & Ceiling Hand Tool Kit

This is a selection of long reach stainless steel and aluminium tools to clean large areas, attack walls, reach into roofs and to poke into small confined places to get your building really clean from top to bottom.

Available in versions for dry waste only, wet and dry waste, and wet waste only.



The kit comprises:

- 1 V25 38mm to 63mm adaptor
- 1 V26 stainless steel crank
- 2 V27 470 mm stainless steel tubes
- 1 V28 1220 mm aluminium tube.
- 1 V29 355mm wide adjustable floor brush on wheels (Not included in the Wet Only kit)
- 1 V29A 355mm wide adjustable floor squeegee on wheels (Not included in the Dry Only kit)
- 1 V30 152 mm round brush
- 1 V31 305 mm stainless steel crevice tool
- 1 V41 Tool bag that fits onto the handles of the Big Brute trolley.

Floor, Wall and Ceiling Kits

FWC-DRY	Dry Floor, Wall and Ceiling Kit	\$ 927
FWC-WD	Wet & Dry Floor, Wall and Ceiling Kit	\$ 1,160
FWC-WET	Wet Only Floor, Wall and Ceiling Kit	\$ 963
FWC-W-C	Floodman Wet Only Floor, Wall and Ceiling Kit with Cam Connectors	\$ 826

Bristles & Squeegees

Replacement bristle strips/squeegee blades for the Floor Brush/Floor Squeegee in the Floor, Wall and Ceiling Kits. All Bristle/Squeegee strips supplied with white strip holder.

V210	Rear Bristle (Short & Plain)	\$ 20
V208	Front Bristle (Longer and Castellated)	\$ 20
V155	Rear Squeegee	\$ 20
V1055	Front Squeegee	\$ 20

Wheels

Replacement wheels for the Floor Brush/Floor Squeegee in the Floor, Wall and Ceiling Kits.

V443	Wheel (each)	\$ 9
-------------	--------------	-------------

Hose-to-Tool Adapters

Adapters to connect your 63mm Big Brute suction hose to 38mm hand tools.

V25	63mm (male) to 38mm (female) adaptor	\$ 101
V25C	63mm (male) to 38mm (female) EARTHED adaptor	\$ 204
V25D	Cam Connector (male) to 38mm (female) adaptor for the Big Brute Floodman and SOS Oil Vac	\$ 317

38mm Hand Tools

V26	Stainless steel crank	\$ 80
V27	Stainless Steel Tube (470mm length)	\$ 63
V28	Aluminium Extension Tube (1220 mm length)	\$ 104
V29	Dry Floor Brush with adjustable wheels (355 mm width)	\$ 197
V29A	Wet Floor Squeegee with adjustable wheels (355 mm width)	\$ 233
V30	Round Brush (152 mm diameter)	\$ 116
V31	Stainless Steel Crevice Tool (305 mm width)	\$ 99
V41	Tool Bag	\$ 108
V80	Rafter Blaster Blow Tool	\$ 353
V80A	Rafter Blaster Suction Tool	\$ 238

Miscellaneous Tools

AU-V37	Aluminium Scraper Tool (1m long, 63mm diameter)	\$ 207
V37H	Aluminium Scraper Tool (1m long, 63mm diameter) with CAM connectors	\$ 399
V240	Big Brute Scrape Out Tool	\$ 87
	Scrape dry waste or sludge out of your Big Brute drum with the Scrape Out Tool.	
V1069	Constant flow nozzle For free-flowing materials. Reduces blockages in the hose.	\$ 648

WAREHOUSEMAN SPARE PARTS

Link Hose

Hose that connects your Warehouseman Front-Mounted Floor Brush to the drum spigot.

All-Metal Body Brush (sold from 2005 onwards)

V96	830mm	\$ 238
V119	1020mm	\$ 238

Plastic Body Brush (sold pre 2005)

V388	830mm	\$ 298
V391	1020mm	\$ 298

Front-Mounted Floor Brush Spare Parts

Replacement brush strips for the Warehouseman Front-Mounted Floor Brush.

All-Metal Body Brush (sold from 2005 onwards)

V98	Front Brush Strip (castellated)	\$ 87
V435	Rear Brush Strip	\$ 87

Plastic Body Brush (sold pre 2005)

V335	Front Brush Strip (castellated)	\$ 34
V336	Rear Brush Strip	\$ 34

Front-Mounted Floor Squeegee Spare Parts

Replacement rubber squeegee blades and brush strips for the Wet & Dry and Wet Only Warehouseman Front-Mounted Floor Squeegee.

V98	Front Brush Strip (castellated)	\$ 87
V337	Rear Squeegee Blade	\$ 75

Front-Mounted Floor Brush/Squeegee Wheels

Replacement wheels for the Warehouseman Front-Mounted Floor Brush or Squeegee.

V376	Front Jockey Wheel	\$ 24
------	--------------------	-------



BIG BRUTE SUCTION HOSE

Ready-made lengths of suction hose, as supplied with Big Brutes.

Made in pre-set lengths complete with steel ends.

Dry Only Hose

Suction hose with push-on/pull-off cuffs and steel ends.

For use with all dry only Big Brute machines: Popular, Warehouseman, Suck & Dump Dry Only, HEPA, Skip Tip Dry Only, Bulkmasters, Suck & Dump Static, MultiLift Dry Only, Leapfrog Dry Only.

Note that the standard hose supplied with Dry Only Big Brutes has a steel bend end on each end of the hose. If you're using a Big Brute Mole with your Big Brute, ensure you select a hose with one bend end and one straight end.

V33	3m hose with bend ends	\$ 413
V32D	5m hose with bend ends	\$ 509
V32B	10m hose with bend ends	\$ 749
V32	15m hose with bend ends	\$ 989
V32G	5m hose with 1 bend end & 1 straight end for use with the Mole	\$ 478
V32H	10m hose with 1 bend end & 1 straight end for use with the Mole	\$ 718
V32I	15m hose with 1 bend end & 1 straight end for use with the Mole	\$ 958

Wet & Dry/Wet Only Hose

Polyurethane, translucent suction hose with push-on/pull-off cuffs and a steel bend end at both ends.

For use with all Wet & Dry and Wet Only Big Brute machines: Wet & Dry, Wet Only, Swarfman, Suck & Pump, Suck & Dump Wet & Dry, Suck & Dump Wet Only, Skip Wet & Dry, Skip Tip Wet Only, SOS Oil Vac, MultiLift Wet & Dry, Leapfrog Wet & Dry, Leapfrog Wet Only.

Note: not compatible with the Big Brute Floodman and SOS Oil Vac. See table below.

V53	3m hose with bend ends	\$ 538
V52D	5m hose with bend ends	\$ 704
V52B	10m hose with bend ends	\$ 1,110
V52F	15m hose with bend ends	\$ 1,496
V52	20m hose with bend ends	\$ 1,892

Floodman and SOS Oil Vac Hose

Polyurethane, translucent suction hose with cam connectors and a steel bend end at both ends for use with the Floodman and SOS Oil Vac.

CHP-3B	3m Polyurethane Hose with cam connectors and bend ends	\$ 1,229
CHP-5B	5m Polyurethane Hose with cam connectors and bend ends	\$ 1,388
CHP-7.5B	7.5m Polyurethane Hose with cam connectors and bend ends	\$ 1,586
CHP-10B	10m Polyurethane Hose with cam connectors and bend ends	\$ 1,784
CHP-15B	15m Polyurethane Hose with cam connectors and bend ends	\$ 2,180
CHP-20B	20m Polyurethane Hose with cam connectors and bend ends	\$ 2,576



DRY HOSE WITH CUFFS AND STEEL BEND ENDS



WET & DRY/ WET ONLY HOSE WITH CUFFS AND STEEL BEND ENDS



FLOODMAN HOSE WITH CAM COUPLERS AND STEEL BEND ENDS

THE MOLE UNDERFLOOR CLEANING TOOL



The Mole is designed to clean dust, dirt and debris from between the laterals of drying floors in grain stores. By connecting the Mole to the Big Brute vacuum cleaner pipe, it can be pushed through the offending under-floor corridor with the use of drain rods, clearing the way as it goes.

As grain floors are different, the Mole has to be tailor-made to fit your floor. The sizes range from 175mm through to 300mm. Please call regarding your requirements.

Important Note: When supplying measurements, please take into account any obstructions the mole will be required to pass.

Standard Height - Rectangular

Part No	Size	Body width	Tunnel width	Tunnel Height	Price
V284	000	131mm	174-192mm	>110mm	\$ 634
V91	00	150mm	193-202mm	>110mm	\$ 634
V509	0	160mm	203-222mm	>110mm	\$ 634
V711	1	180mm	223-242mm	>110mm	\$ 634
V712	2	200mm	243-262mm	>110mm	\$ 634
V713	3	220mm	263-282mm	>110mm	\$ 634
V714	4	240mm	283-302mm	>110mm	\$ 634
V715	5	260mm	303-322mm	>110mm	\$ 634
V716	6	280mm	323-342mm	>110mm	\$ 634
V717	7	300mm	343-362mm	>110mm	\$ 634
V1371	-	300mm	651-670mm	>110mm	\$ 756

Low Height- Rectangular

Part No	Size	Body width	Tunnel width	Tunnel Height	Price
V711L	1	180mm	223-242mm	80-109mm	\$ 672
V712L	2	200mm	243-262mm	80-109mm	\$ 672
V713L	3	220mm	263-282mm	80-109mm	\$ 672
V714L	4	240mm	283-302mm	80-109mm	\$ 672
V715L	5	260mm	303-322mm	80-109mm	\$ 672
V716L	6	280mm	323-342mm	80-109mm	\$ 672
V717L	7	300mm	343-362mm	80-109mm	\$ 672

Round

Part No	To Suit Diameter	Price
V142	159mm	\$ 634



**Michael Williams
Engineering**

Delivering quality industrial solutions

GUTTER CLEANING KITS

No more working at height!

Clean out gutters from the safety of ground level with the Big Brute Gutter Cleaning Kit. No need for dangerous ladders or costly scaffold platforms.

Use your Big Brute Wet & Dry to clean leaves and sludge out of your gutters safely.

Available in Elite or Telescopic versions.

Elite Gutter Cleaning Kit

A selection of cleaning tools and fixed length carbon-fibre poles to safely clean gutters from the ground. Comprises:

- 4 x (6m reach kit) or 6 x (9m reach kit) Elite carbon fibre poles 1.5 metres long (50mm diameter)
- 1 x Carbon fibre end tool holder
- 1 x Crevice tool
- 1 x Soft daily tool for aluminium gutters
- 1 x Dirt breaker
- 1 x Tapered end tool narrow
- 1 x Tapered end tool wide
- 1 x Long reach tool
- 1 x Carrying bag
- 1 x Adaptor hose (3m long) to connect to Big Brute Hose

Telescopic Gutter Kit

All the convenience of cleaning your gutters from the ground but with a telescopic extension pole for extra quick set up and packing away. Available in 4m or 7m reach versions. Comprises:

- 1 x 65° Carbon Fibre Tool Holder
- 1 x 155° Carbon Fibre Tool Holder
- 1 x Soft Round Brush
- 1 x Large Black Pivot Brush
- 1 x Small Flexible Neck Brush
- 1 x Large White Straight Brush
- 1 x Radiator Brush
- 1 x Small Half Round Vac Brush
- 1 x Carbon Fibre Telescopic Pole (either 4m or 7m reach)
- 1 x Carry Bag
- 1 x Adaptor hose (3m long) to connect to Big Brute Hose



OPTIONAL
CAMERA
SYSTEM TO
VIEW GUTTERS
AS YOU CLEAN



Gutter Cleaning Kits

EGCK4	Elite Gutter Cleaning Kit (6m reach - contains 4 fixed-length poles)	\$ 3,461
EGCK6	Elite Gutter Cleaning Kit (9m reach - contains 6 fixed-length poles)	\$ 4,152
TPK-4M	Telescopic Gutter Cleaning Kit (4m reach)	\$ 1,853
TPK-7M	Telescopic Gutter Cleaning Kit (7m reach)	\$ 1,853

Spare Parts and Accessories for Gutter Cleaning Kits


V1498	Adapter Hose (51mm x 3m long to connect Big Brute hose to Carbon poles)	\$ 425
EGCK-P-1500x50	Replacement Elite Carbon Fibre Pole (1.5m fixed-length)	\$ 435
V1497	Wireless Camera System	\$ 807



FORK DIMENSIONS


Many Big Brute models, and some options for Big Brutes, have trolleys with sockets that accept your forklift tines to allow you to move and empty the waste. These include:

- Big Brute Suck & Dump Flat Base
Dry Only and Wet & Dry Variants
- Big Brute Suck & Dump Cone Base
Dry Only and Wet & Dry Variants
- Big Brute Wet & Dry
With High Lift Forklift Drain trolley option
- Big Brute Wet Only
With High Lift Forklift Drain trolley option
- Big Brute Swarfman
With High Lift Forklift Drain trolley option
- Big Brute Suck & Pump
With High Lift Forklift Drain trolley option
- Big Brute Suck & Pump
With High Lift Forklift Drain trolley option
- Big Brute Multi-Lift
With Forklift Trolley or Drum Lifting Saddle options
- Big Brute Bulkmasters
Bulkmaster 500 and 1000 models, in Self-Powered or Interceptor variations.



The sockets are made with fixed size and spacing with sufficient room to accept most forklift tines. To make sure your forklift tines will fit, refer to the tables below for the socket centre-to-centre separation, socket width and socket height of each Big Brute model.

- A: Centre-to-centre socket distance
- B: Socket width
- C: Socket height



SUCK & DUMP FLAT BASE (ALL VARIANTS)

Tine size	A	B	C
ST (Standard tines)	454mm	125mm	75mm
WT (Wide tines)	479mm	150mm	75mm
XT (Extra wide tines)	554mm	225mm	125mm

WET & DRY, WET ONLY, SWARFMAN & SUCK & PUMP

Tine size (High lift)	A	B	C
HLFLD1	280mm	125mm	75mm
HLFLD2	180mm	160mm	75mm

SKIP TIP (ALL VARIANTS)

Tine size	A	B	C
Standard	845mm	200mm	100mm

SUCK & DUMP CONE BASE (ALL VARIANTS)

Tine size	A	B	C
ST (Standard tines)	752mm	125mm	75mm
WT (Wide tines)	827mm	200mm	75mm
XT (Extra wide tines)	N/A	N/A	N/A

MULTI-LIFT FORKLIFT TROLLEY & MULTI-LIFT DRUM LIFTING SADDLE

Product	A	B	C
Forklift Trolley	833mm	200mm	75mm
Drum Lifting Saddle	754mm	172mm	75mm

BULKMASTER (INTERCEPTORS AND SELF-POWERED)

Tine size	A	B	C
Standard	840mm	300mm	100mm

ANTI-STATIC BIG BRUTES

When you suck up dry materials with a Big Brute dry only model, or a Big Brute Wet & Dry model, the material and the air can generate static electricity as they travel up the suction hose.

This can occasionally give the user a static shock when touching metal parts of the Big Brute. Whilst not harmful, it can be unpleasant.

Some materials can generate more static electricity than others. Some users are also more sensitive to static electricity than others.

The Big Brute Anti-Static options reduce the amount of static build up in the hose, reducing the static shocks to users. By modifying the power unit, suction hose and tools, static build up is reduced.

The power unit has an anti-static earthing post attached to the lid. This is connected internally to the power unit's earth electrical connection.

The anti-static suction hose has a modified hose end which connects the steel wire helix running along the length of the hose to the power unit's earth post using a earth lead with a clamp. The other end of the suction hose has a modified end that connects the steel wire helix to Big Brute pipe couplers and tool adapters.

Finally, add on any anti-static Floor, Wall and Ceiling Tool kits to clean every part of your building from top to bottom.

1. Find the price of your Big Brute with no hose.

Have a look through this brochure and identify which Dry Only or Wet & Dry Big Brute model you're after.

Find the price of the Big Brute with no hose supplied

2. Add on the price of the Power Unit modification

Add on the price to upgrade the power unit. This is different for Dry Only power units or Wet & Dry power units:

Earthing Post fitted to Dry Only Power Unit	\$ 132
Earthing Post fitted to Wet & Dry Power Unit	\$ 209

3. Choose your length of anti-static hose

Choose your length of anti-static hose below. All anti-static hoses come complete with an attached earthing lead and clamp, and a V37 Scraper Tool.

See the prices for dry suction hose and wet & dry suction hose below.

4. Add tool kits

Choose any optional anti-static Floor, Wall and Ceiling Kits below.

All anti-static tool kits contain with the hand tools shown in the kits on page 28 but have a V25C anti-static 63mm-to-38mm tool adapter in place of the standard V25.

Important Note About Anti-Static Big Brutes

The Big Brute anti-static solutions do not prevent the generation of static electricity - they help to dissipate it, reducing static shocks to the user.

The Big Brute vacuum cleaners are not ATEX rated for use in zoned areas and should never be used in the presence of flammable materials, fumes or gases.

Anti-Static Suction Hose

All anti-static suction hose is supplied with a earth lead and clamp fixed to one pipe end, steel bend hose ends, push-on-pull-off cuffs and an anti-static V37 Scraper Tool.

Dry Anti-Static Suction Hose

V62E	Dry Anti-Static Suction Hose 3m	\$ 910
V62D	Dry Anti-Static Suction Hose 5m	\$ 1,006
V62B	Dry Anti-Static Suction Hose 10m	\$ 1,246
V628	Dry Anti-Static Suction Hose 15m	\$ 1,486

Wet & Dry Polyurethane Anti-Static Suction Hose

ASHP-3P	Wet & Dry Polyurethane Anti-Static Suction Hose 3m	\$ 1,076
ASHP-5P	Wet & Dry Polyurethane Anti-Static Suction Hose 5m	\$ 1,234
ASHP-10P	Wet & Dry Polyurethane Anti-Static Suction Hose 10m	\$ 1,630
ASHP-15P	Wet & Dry Polyurethane Anti-Static Suction Hose 15m	\$ 2,026

Anti-Static Floor, Wall and Ceiling Tool kits

FWC-DRY-AS	Anti-Static Dry Floor, Wall and Ceiling Tool kit	\$ 792
FWC-WD-AS	Anti-Static Wet & Dry Floor, Wall and Ceiling Tool kit	\$ 884

Anti-Static Individual Tools

V25C	Anti-Static 63mm-to-38mm diameter tool adapter	\$ 204
AU-V37	63mm diameter Scraper Tool (1 metre long)	\$ 89

DON'T TAKE OUR WORD FOR IT

Thousands of people worldwide are already saving time, effort, and money with their Big Brute.

Thanks to its rock-solid British engineering, straightforward design, ease of use, simple maintenance, excellent support, and unrivalled reliability, you could also soon be making your life a whole lot easier with a Big Brute.

"Wish I'd bought one sooner"

Farmer, Aberdeen, UK

"Reminds me of a Land Rover - solid British engineering. Love it!"

Farmer, Aberdeen, UK

"It used to take 3 men to clean up but now only needs 1 to operate the Big Brute"

Stock Feeds Manufacturer, WA

"Our last Brute lasted over 26 years"

Site Supervisor, Coventry, UK

"We're really impressed with how little maintenance it needs to keep going"

Powder Coaters, WA

"The Big Brute is being used without me nagging the staff"

Business Owner, St Albans, UK

"We're creating a healthier working environment for our plant operators"

Animal Feed Manufacturer, VIC

"Does everything - wouldn't be without it"

Wheat Farmer, WA

"A great product that does exactly what it says on the tin"

Big Brute Customer, UK

Big Brute - Proudly made in Britain since 1986.



MADE IN BRITAIN

BIG BRUTE
INDUSTRIAL VACUUM CLEANERS



0276 278 239



bigbrute.co.nz